




Model 1506
KV & KS Series

3500 RPM
October 23, 2000

Curve no. 1936
Min. Imp. Dia. 4.25
Size 1 1/2 x 1 1/2 x 6






Model 1507
KV & KS Series

3500 RPM
August 31, 2006

Curve no. 1972
Imp. Dia. 5.50
Size 1 1/2 x 1 1/2 x 7




CURVES BASED ON CLEAR WATER
WITH SPECIFIC GRAVITY OF 1.0



Model 1509
KV & KS Series

3500 RPM
August 2, 2001

Curve no. 2048
Min. Imp. Dia. 6.50
Size 1.5 x 1.5 x 9.0






Model 2006
KV & KS Series

3500 RPM
October 23, 2000

Curve no. 1941
Min. Imp. Dia. 4.25
Size 2 x 2 x 6







Model 2007
KV & KS Series

3500 RPM
AUGUST 31, 2006

Curve no. 1976
Min. Imp. Dia. 5.50
Size 2 x 2 x 7








Model 2508
KV & KS Series

3500 RPM
DECEMBER 17 2002

Curve no. 2225
Min. Imp. Dia 6.7"
Size 2.5 X 2.5 X 8.5






Model 3006
KV & KS Series

3500 RPM
October 23, 2000

Curve no. 1965
Min. Imp. Dia. 4.25
Size 3 x 3 x 6






Model 3007
KV & KS Series

3500 RPM
August 31, 2006

Curve no. 1968
Imp. Dia. 5.50
Size 3 x 3 x 7






Model 3009
KV & KS Series

3500 RPM
October 23, 2000

Curve no. 1961
Min. Imp. Dia. 6.75
Size 3 x 3 x 9






Model 4007
KV & KS Series

3500 RPM
August 31, 2006

Curve no. 1944
Min. Imp. Dia. 5.50
Size 4 x 4 x 7




CURVES BASED ON CLEAR WATER
WITH SPECIFIC GRAVITY OF 1.0



Model 4009
KV & KS Series

3500 RPM
September 9, 2009

Curve no. 1980
Min. Imp. Dia. 6.75
Size 4 x 4 x 9



CURVES BASED ON CLEAR WATER
WITH SPECIFIC GRAVITY OF 1.0


NOT AVAILABLE WITH
75 HP AND 100 HP MOTORS



Model 4075
KV & KS Series

3500 RPM
JANUARY. 09, 2003

Curve no. 2238
Min. Imp. Dia. 6.25"
Size 4 x 4 x 7.0






Model 5007
KV & KS Series

3500 RPM
September 9, 2009

Curve no. 1949
Min. Imp. Dia. 5.50
Size 5 x 5 x 7




CURVES BASED ON CLEAR WATER
WITH SPECIFIC GRAVITY OF 1.0



Model 5075
KV & KS Series

3500 RPM
September 9, 2009

Curve no. 2243
Min. Imp. Dia. 5.75"
Size 5 x 5 x 7.0



CURVES BASED ON CLEAR WATER
WITH SPECIFIC GRAVITY OF 1.0

NOT AVAILABLE WITH 75 HP MOTOR