

VFD SELECTION GUIDE:

Motor HP	Input Voltage				
	Single Phase		3 Phase		
	100V - 120V	200V - 240V	200V - 240V	380V - 480V	525V - 600V
1/2	ATV12H037F1	ATV12H037M2	ATV12H037M3	ATV212H075N4	ATV312H075S6
3/4	ATV12H075F1	ATV12H055M2	ATV212H075M3X		
1		ATV12H075M2			
1 1/2	N/A	ATV12HU15M2	ATV212HU15M3X	ATV212HU15N4	ATV312HU15S6



In order to provide the most efficient pump solution to our customers, Taco is now working with Schneider Electric.

This collaboration brings together Taco's pump technology with Schneider Electric Variable Frequency Drives and the drive packaging of Square D enclosures to offer the best overall pumping solution for our customers.



by Schneider Electric

Comments: _____



Taco, Inc., 1160 Cranston Street, Cranston, RI 02920 | Tel: (401) 942-8000 | FAX: (401) 942-2360

Taco (Canada), Ltd., 8450 Lawson Road, Suite #3, Milton, Ontario L9T 0J8 | Tel: (905) 564-9422 | FAX: (905) 564-9436


Visit our web site: www.TacoComfort.com | Printed in USA | ©2016 Taco, Inc.





Model 1935 3500 RPM
1900 Series DECEMBER, 06 2004

Curve No. 2377
Min. Imp. Dia. 3.9"
Size 2"



VFD SELECTION GUIDE:

Motor HP	Input Voltage				
	Single Phase		3 Phase		
	100V - 120V	200V - 240V	200V - 240V	380V - 480V	525V - 600V
2	N/A	ATV12HU15M2	ATV212HU15M3X	ATV212HU15N4	ATV312HU15S6
3		ATV12HU22M2	ATV212HU22M3X	ATV212HU22N4	ATV312HU22S6
5		N/A	ATV212HU40M3X	ATV212HU40N4	ATV312HU40S6
7.5			ATV212HU55M3X	ATV212HU55N4	ATV312HU55S6

In order to provide the most efficient pump solution to our customers, Taco is now working with Schneider Electric.

This collaboration brings together Taco's pump technology with Schneider Electric Variable Frequency Drives and the drive packaging of Square D enclosures to offer the best overall pumping solution for our customers.

by Schneider Electric

Comments: _____